

Declaration of performance

No.2092/02-DoP Dec 2022

* 1. Product type:		
Portland -Limestone Cement EN 197-1:2011		
2. Product-identification:		
AALBORG WHITE Cement – Portland -Limestone Cement CEM II/ BLL 42.5 N		
3. The intended use(s)of the constriction product:		
Used in the preparation of Grout, other mixes for constructions and for the manufacture of construction products		
4. Name and address of the manufacturer:		
Sinai White Portland Cement Company S.A.E, 604 A El Safa St. New Maadi-Cairo[Egypt		
5. Name and address of the authorized representative:		
Not Relevant		
6. Notified body:		
KIWA certification body No.0770 has performed classification of product types based on testing, sampling and initial inspection of the factory production control, ongoing monitoring, compliance's and evaluation of the factory's production control and issued the certificate of conformity / declaration of performance (0770-CPR-2092-02-18).		
7. Declared Performance		
The cement complies with all requirements according to EN 197-1:2011, for Portland -Limestone Cement, CEM II/B LL 42.5 N.		
Essential characteristic	Performance	Harmonized technical specifications
2 days compressive strength	≥ 10.0 MPa	EN 197-1:2011
28 days compressive strength	≥ 42.5 MPa ≤62.5 MPa	
Initial setting time	≥ 60 min	
Soundness / Explanation	≤ 10.0 mm	
SO3 content	≤ 3.5 %	
Cl content	≤ 0.10 %	
Portland Cement Clinker	65 – 79 %	
Limestone	21 – 35 %	
Minor additional constituent	0 – 5 %	

8. The performance of the product identified in points 1 and 2 is in conformity with the decorated performance in point 7. This declaration of performance is issued the soil responsibility of the manufacturer identified in point 4. Sinai, 1st of Dec 2022/

